INDUCED MAGNETIC AND SUPERCONDUCTING PHENOMENA IN NANOSTRUCTURED HETERO MATERIALS

Ivan K. Schuller, A. Sharoni, F. Casanova, M. Erekhinski Physics Department, UCSD, LA Jolla, Ca

I. V. Roshchin,
Physics Department, Texas A & M University, College Station, Tx.

D. Perez de Lara, J. L. Vicent, Physics Department Universidad Complutense, Madrid, Spain

J. E. Villegas Unite Mixte de Physique CNRS/Thales, Universite Paris Sud 11, Orsay, France

F. J. Castano, B. G. Ng, C. A. Ross Materials Science and Engineering Department, MIT, Cambridge, Ma.

The interaction between dissimilar magnetic and superconducting structures has produced much new physics in a variety of configuration. This includes new behavior when dissimilar magnetic materials (such as ferromagnets and antiferromagnets) are in contact with each other giving rise to Exchange Bias [1] or when nanostructured superconductors and magnets are in close proximity giving rise to collective pinning [2]. Particularly interesting behavior is obtained when one or both of the constituents have their dimensionality reduced to the nansocale in one or two dimensions. This gives rise to interesting effects such as the developments of bistable superconductivity[3], long-range fractal order [4], and quantum matching between the superconducting vortex lattice and the artificially prepared nanostructured arrays [5]. These systems also have important implications for the physics of epitaxial growth, and charged plasmas in confined geometries.

Work supported by US-DOE, NSF and AFOSR.

- [1] For a comprehensive review see, J. Nogues and Ivan K. Schuller, Jour. Mag. Mag. Mat. 192, 203 (1999).
- [2] For a recent review see, M. Vélez, J.I. Martín, J. E. Villegas, A. Hoffmann, E. M. González, J. L. Vicent and Ivan K. Schuller, J. Mag. Mag. Mat. (2008, in press)
- [3] J.E Villegas, C.-P. Li and Ivan K. Schuller, Phys. Rev. Lett. **99**, 227001 (2007)
- [4] J.E Villegas, M.I. Montero, C.-P. Li and Ivan K. Schuller, Phys. Rev. Lett. 97, 027002 (2006)
- [5] J. Martin, M. Velez, J. Nogues and Ivan K. Schuller, Phys. Rev. Lett. **79**, 1929 (1997).